

	Approved For Release	2002/07/10 : CIA-RDP78	B04747A0009000500	700 de c	STAT
		J	uly 21, 1964		
	LINEAR P	HASOLVER MEASURI	NG ENGINE		
+				-	
			STAT	INTL	
. 0				er je	STATINTL
	on the Analytica and am returning that he that the measuri of special alumi Also, the carris supports. The ostructure has reand is considered reinforces my op design of the entability of the attention to conthe metals used.		I will suggest a on pages 149 ure of the AP-1 abilized and to bearings on turn that through four mad accurate. I echanical geometro paid partermal expansion	of my own to to and 150 is made impered. bular the the todels this trical the icular	STATINTL STATINTL STATINTL STATINTL STATINTL
	is aiming for te that to get subm	ector to consider aicron accuracy was than I micron aicron measuring as paid to the store.	hile the phasol accuracy. I a accuracy, as mu	wer m sure ich	STATINTL
				9	
				* "	
					**
	Fact agence				

Declass Review by NIMA/DOD


STATINTL






STATINTL

Approved For Release 2002/07/10 : CIA-RDP78B04747A000900050070-1






STATINTL


STATINTL


STAT

Control Paul design submitted

2 Aug 42 For







Copy of Datashore Options used.
Which points are input & output lines connected to.

